

I. AMENDMENTS TO THE CLAIMS

In response to the above-referenced Office Action, please amend the application in the claims as follows (*support for the following claim amendments is found throughout the application specification*):

- 1 21. (CANCELED) ~~A portable climate control dwelling comprising:~~
2 ~~a collapsible structure defining an enclosure, the collapsible structure~~
3 ~~interchangeably transformable between a first storage configuration and a second~~
4 ~~inhabitable configuration defining a predetermined shape and further having a portion~~
5 ~~defining a resealable climate control unit receiving aperture the resealable aperture~~
6 ~~comprising a flange having a front and a back, at least a portion of the back affixable to~~
7 ~~the collapsible structure, the collapsible structure formed from a material selected from the~~
8 ~~group consisting of polymer, vinyl, nylon, cotton, leather, or combinations thereof;~~
9 ~~a boot having first and second ends defining a longitudinally extending aperture~~
10 ~~there between, the boot affixable at the first end perpendicularly to the flange for affixing~~
11 ~~a climate control unit to the collapsible structure;~~
12 ~~a climate control unit reversibly disposed at least partially within the boot for use in~~
13 ~~the second inhabitable configuration of the collapsible structure;~~
14 ~~a support member for supporting the climate control unit in a predetermined~~
15 ~~location in relation to the collapsible structure; and~~
16 ~~a restraining member securely and reversibly coupling the climate control unit to~~
17 ~~the support member; whereby the climate control unit conditions the air within the~~
18 ~~enclosure of the collapsible structure, such that retention of the predetermined shape of~~
19 ~~the second inhabitable configuration is independent of the climate control unit.~~
- 1 22. (CANCELED) ~~The portable climate control dwelling of claim 21, wherein the air~~
2 ~~is cooled.~~
- 1 23. (CANCELED) ~~The portable climate control dwelling of claim 21, wherein the air~~
2 ~~is heated.~~
- 1 24. (CANCELED) ~~The portable climate control dwelling of claim 21, wherein the~~
2 ~~collapsible structure defining the climate control unit receiving aperture comprises an elastic~~
3 ~~member for engaging the climate control unit to form a weather resistant barrier between the~~
4 ~~exterior and interior of the dwelling.~~
- 1 25. (CANCELED) ~~The portable climate control dwelling of claim 21, wherein the~~
2 ~~dwelling is formed from a material selected from the group consisting of polymer, vinyl, nylon,~~
3 ~~cotton, leather, or combinations thereof.~~

1 26. (CANCELED) ~~The climate control dwelling of claim 24, wherein the dwelling is~~
2 ~~ballistic nylon.~~

1 27. (CANCELED) ~~A portable climate control unit carrier comprising a plurality of~~
2 ~~straps, configurable about the exterior of a climate control unit.~~

1 28. (CANCELED) ~~The portable climate control unit carrier of claim 21, wherein the~~
2 ~~dwelling is formed from a material selected from the group consisting of polymer, vinyl, nylon,~~
3 ~~cotton, leather, or combinations thereof.~~

1 29. (CANCELED) ~~The portable climate control unit carrier of claim 27, wherein the~~
2 ~~dwelling is a ballistic nylon.~~

1 30. (CANCELED) ~~A tent adapter, comprising:~~
2 ~~a flange having a front and a back, at least a portion of the back affixable to a~~
3 ~~tent;~~
4 ~~a boot having first and second ends defining a longitudinally extending aperture~~
5 ~~there between, the boot affixable at the first end perpendicularly to the flange for affixing~~
6 ~~a climate control unit to a tent, the adapter formed from a material selected from the~~
7 ~~group consisting of polymer, vinyl, nylon, cotton, leather, or combinations thereof.~~

1 31. ~~The adapter of claim 30, wherein the second end of the boot has an elastic edge.~~

1 32. ~~The adapter of claim 30, wherein the second end has a closure for closing the~~
2 ~~aperture at the second end.~~

1 33. (CANCELED) ~~The adapter of claim 30, wherein the adapter formed from a~~
2 ~~material selected from the group consisting of polymer, vinyl, nylon, cotton, leather, or~~
3 ~~combinations thereof.~~

1 34. (CANCELED) ~~The adapter claim 30, wherein the adapter is a ballistic nylon.~~

1 35. (CANCELED) ~~A kit comprising:~~
2 ~~a collapsible structure defining an enclosure, the collapsible structure~~
3 ~~interchangeably transformable between a first storage configuration and a second~~
4 ~~inhabitable configuration and further having a portion defining a pliant, the resealable~~
5 ~~aperture comprising a flange having a front and a back, at least a portion of the back~~
6 ~~affixable to the collapsible structure; a boot having first and second ends defining a~~
7 ~~longitudinally extending aperture there between, the boot affixable at the first end~~

8 perpendicularly to the flange for affixing a climate control unit to the collapsible structure,
9 ~~the collapsible structure formed from a material selected from the group consisting of~~
10 ~~polymer, vinyl, nylon, cotton, leather, or combinations thereof;~~
11 ~~a support member for supporting a climate control unit in a predetermined~~
12 ~~location in relation to the collapsible structure; and~~
13 ~~a restraining member securely and reversibly coupling a climate control unit to the~~
14 ~~support member.~~

1 36. (CANCELED) ~~The kit of claim 35, further comprising a climate control unit.~~

1 37. (CANCELED) ~~The kit of claim 35, further comprising a climate control unit~~
2 ~~carrier.~~

1 38. (CANCELED) ~~The kit of claim 37, wherein the climate control unit is an air~~
2 ~~conditioner.~~

1 39. (CANCELED) ~~The kit of claim 37, wherein the climate control unit is a heater.~~

1 40. (CANCELED) ~~The kit of claim 35, further comprising an adjustable support~~
2 ~~member for holding a climate control unit at a predetermined distance in relation to the~~
3 ~~dwelling.~~

1 41. (NEW) A portable climate control dwelling comprising:
2 a collapsible structure defining an enclosure, the collapsible structure
3 interchangeably transformable between a first storage configuration and a second
4 inhabitable configuration defining a predetermined shape and further having a portion
5 defining a resealable climate control unit receiving aperture the resealable aperture
6 comprising a flange having a front and a back, at least a portion of the back affixable to
7 the collapsible structure, the collapsible structure formed from a material selected from the
8 group consisting of polymer, vinyl, nylon, cotton, leather, or combinations thereof;
9 a boot having first and second ends defining a longitudinally extending aperture
10 there between, the boot affixable at the first end perpendicularly to the flange for affixing
11 a climate control unit to the collapsible structure;
12 a climate control unit reversibly disposed at least partially within the boot for use in
13 the second inhabitable configuration of the collapsible structure;
14 a support member capable of supporting the collapsible structure in its
15 inhabitable configuration independent of the airflow produced by the climate control
16 unit; and

17 a restraining member securely and reversibly coupling the climate control unit to
18 the collapsible structure; whereby the climate control unit conditions the air within the
19 enclosure of the collapsible structure, such that retention of the predetermined shape of
20 the second inhabitable configuration is independent of the climate control unit.

1 42. (NEW) The portable climate control dwelling of claim 21, wherein the air is
2 cooled.

1 43. (NEW) The portable climate control dwelling of claim 21, wherein the air is
2 heated.

1 44. (NEW) The portable climate control dwelling of claim 21, wherein the collapsible
2 structure defining the climate control unit receiving aperture comprises an elastic member for
3 engaging the climate control unit to form a weather resistant barrier between the exterior and
4 interior of the dwelling.

1 45. (NEW) The climate control dwelling of claim 44, wherein the dwelling is ballistic
2 nylon.

1 46. (NEW) A portable climate control unit carrier comprising a plurality of straps,
2 configurable about the exterior of a climate control unit.

1 47. (NEW) The portable climate control unit carrier of claim 46, wherein the dwelling
2 is a ballistic nylon.

1 48. (NEW) A tent adapter, comprising:
2 a flange having a front and a back, at least a portion of the back affixable to a
3 tent;
4 a boot having first and second ends defining a longitudinally extending aperture
5 there between, the boot affixable at the first end perpendicularly to the flange for affixing
6 a climate control unit to a tent, the adapter formed from a material selected from the
7 group consisting of polymer, vinyl, nylon, cotton, leather, or combinations thereof.

1 49. (NEW) The adapter of claim 47, wherein the second end of the boot has an
2 elastic edge.

1 50. (NEW) The adapter of claim 47, wherein the second end has a closure for closing
2 the aperture at the second end.

1 51. (NEW) The adapter claim 47, wherein the adapter is a ballistic nylon.

- 1 52. (NEW) A kit comprising:
2 a collapsible structure defining an enclosure, the collapsible structure
3 interchangeably transformable between a first storage configuration and a second
4 inhabitable configuration and further having a portion defining a resealable aperture
5 comprising a flange; a boot having first and second ends defining a longitudinally
6 extending aperture there between, the boot affixable at the first end perpendicularly to
7 the flange for affixing a climate control unit to the collapsible structure, the collapsible
8 structure formed from a material selected from the group consisting of polymer, vinyl,
9 nylon, cotton, leather, or combinations thereof;
10 a restraining member securely and reversibly coupling a climate control unit to the
11 support member; and
12 a support member capable of supporting the collapsible structure in its
13 inhabitable configuration independent of the airflow produced by the climate control
14 unit, whereby the climate control unit conditions the air within the enclosure of the
15 collapsible structure, such that retention of the predetermined shape of the second
16 inhabitable configuration is independent of the climate control unit..
- 1 53. (NEW) The kit of claim 52, further comprising a climate control unit.
- 1 54. (NEW) The kit of claim 52, further comprising a climate control unit carrier.
- 1 55. (NEW) The kit of claim 54, wherein the climate control unit is an air conditioner.
- 1 56. (NEW) The kit of claim 54, wherein the climate control unit is a heater.
- 1 57. (NEW) The kit of claim 52, further comprising an adjustable support
2 member for holding a climate control unit at a predetermined distance in relation
3 to the dwelling.
- 1 58. (NEW) A portable climate control dwelling comprising:
2 a collapsible structure defining an enclosure, the collapsible structure
3 interchangeably transformable between a first storage configuration and a second
4 inhabitable configuration defining a predetermined shape and further having a portion
5 defining a resealable climate control unit receiving aperture the resealable aperture
6 comprising a flange having a front and a back, at least a portion of the back affixable to
7 the collapsible structure, the collapsible structure formed from a material selected from the
8 group consisting of polymer, vinyl, nylon, cotton, leather, or combinations thereof;

9 a boot having first and second ends defining a longitudinally extending aperture
10 there between, the boot affixable at the first end perpendicularly to the flange for affixing
11 a climate control unit to the collapsible structure;
12 a climate control unit reversibly disposed at least partially within the boot for use in
13 the second inhabitable configuration of the collapsible structure;
14 a first support member capable of supporting a climate control unit in a
15 predetermined location in relation to the collapsible structure and a second support
16 member for capable of supporting the collapsible structure; and
17 a restraining member securely and reversibly coupling the climate control unit to
18 the first support member; whereby the climate control unit conditions the air within the
19 enclosure of the collapsible structure, such that the second support member supports the
20 predetermined shape of the second inhabitable configuration independent of the airflow
21 from the climate control unit.

1 59. (NEW) The portable climate control dwelling of claim 58, wherein the air is
2 cooled.

1 60. (NEW) The portable climate control dwelling of claim 58, wherein the air is
2 heated.

1 61. (NEW) The portable climate control dwelling of claim 58, wherein the collapsible
2 structure defining the climate control unit receiving aperture comprises an elastic member for
3 engaging the climate control unit to form a weather resistant barrier between the exterior and
4 interior of the dwelling.

1 62. (NEW) The climate control dwelling of claim 61, wherein the dwelling is ballistic
2 nylon.

1 63. (NEW) A kit comprising:
2 a collapsible structure defining an enclosure, the collapsible structure
3 interchangeably transformable between a first storage configuration and a second
4 inhabitable configuration and further having a portion defining a pliant, the resealable
5 aperture comprising a flange having a front and a back, at least a portion of the back
6 affixable to the collapsible structure; a boot having first and second ends defining a
7 longitudinally extending aperture there between, the boot affixable at the first end
8 perpendicularly to the flange for affixing a climate control unit to the collapsible structure,
9 the collapsible structure formed from a material selected from the group consisting of
10 polymer, vinyl, nylon, cotton, leather, or combinations thereof;

11 a first support member capable of supporting a climate control unit in a
12 predetermined location in relation to the collapsible structure and a second support
13 member for capable of supporting the collapsible structure independent of the
14 functionality of the climate control unit; and
15 a restraining member securely and reversibly coupling a climate control unit to the
16 support member.

1 64. (NEW) The kit of claim 63, further comprising a climate control unit.

1 65. (NEW) The kit of claim 63, further comprising a climate control unit carrier.

1 66. (NEW) The kit of claim 65, wherein the climate control unit is an air conditioner.

1 67. (NEW) The kit of claim 65, wherein the climate control unit is a heater.

1 68. (NEW) The kit of claim 63, further comprising an adjustable support member for
2 holding a climate control unit at a predetermined distance in relation to the dwelling.